

Gel point storage modulus

What are the criteria for determining a gel point?

In addition, for each technique, there are different experimental procedures and criteria. The most common criteria for the determination of the gel point are: Cross-over point of the elastic modulus (G') and viscous modulus (G''), or point where $\tan \delta$ is equal to 1 [1,2]. Maximum of the $\tan \delta$ curve [3,4].

Why do viscoelastic solids have a higher storage modulus than loss modulus?

Viscoelastic solids with $G' > G''$ have a higher storage modulus than loss modulus. This is due to links inside the material, for example chemical bonds or physical-chemical interactions (Figure 9.11). On the other hand, viscoelastic liquids with $G'' > G'$ have a higher loss modulus than storage modulus.

What is the gel point of a bond percolation gel?

The gel point of the bond percolation gel was separately determined by a dynamic viscoelasticity measurement. We used the cross point of the storage modulus and the loss modulus of the sample as the gel point. The scattering profiles of a homogeneous gel are very simple and entirely different from those of any other gel, as introduced above.

What is a sol/gel transition point?

This is also called the sol/gel transition point or simply the gel point. It means that the character of the sample has changed during the measurement from the liquid or sol state to the solid or gel state and vice versa.

What is storage modulus & loss modulus?

Visualization of the meaning of the storage modulus and loss modulus. The loss energy is dissipated as heat and can be measured as a temperature increase of a bouncing rubber ball. Polymers typically show both, viscous and elastic properties and behave as viscoelastic behaviour.

How do you find the gel point of a preformed polymer?

where f_1 and f_2 are the average functionalities of the two elements. In the case of gelation with preformed linear polymers the gel point is given by where X_{0w} is the weight average degree of polymerization of the preformed polymer. 1, 7, 40, 41

Other authors have reported a criterion based on the turning point of storage modulus for neat resins [12, 13], however the G^* onset point is a better choice because it is formed by an elastic component, G' (storage modulus), and a viscous component, G'' (loss modulus). During the cure reaction, the molecular weight increases and ...

The gel-sol transition point of materials can be quantified using various techniques such as determination of the convergent point of normal stress (Harsch & Herzog, 2008), steady shear viscosity or normal stress, and crossover point of storage modulus (G') and loss modulus (G'') as the most common methods (Harsch &

Herzog, 2008; Sato ...

Rheology measurement results a averaged storage modulus (G'), loss modulus (G'') curves, b viscosity (η^*) curves of the MUF adhesive as reference (MUF-Ref) and the MUF + chestnut extract ...

Download scientific diagram | Storage modulus (G') and loss modulus (G'') of gel samples prepared with different concentrations of silica nanoparticles. from publication: Study on a Novel Cross ...

In the second region, which corresponds to the time close to the gel point, a sudden increase of the storage modulus, G' , is observed; this is also accompanied by the appearance and fast rise of the loss modulus, G'' . As we expect, close to the gel point, the material becomes mechanically resistant with an elastic response and very large ...

Therefore, a later occurring gel-point is beneficial for thermoplastic systems. To determine this gel-point, oscillatory shear rheology is used commonly. During the reaction the storage modulus (G') increases, while the loss modulus (G'') only rises slightly, caused by ...

Rheology of Starch Gels - Gel Strength and Rigidity; ... the angle between the complex modulus and the storage modulus is known as the "phase angle". If it's close to zero it means that most of the overall complex modulus is due to an elastic contribution. ... as long as you don't push it ...

The curing in terms of gel point and storage modulus of 2C PUR was accelerated by starch, gallic acid, linoleic acid, and acetic acid. Heptanal, pentanal, 3-carene, and limonene decelerated the curing. All extractives lowered the storage modulus detd. after 12 h. The bonding of beech wood with extractive-adhesive blends showed a slight decrease ...

The rheological behavior of the forming hydrogel is monitored as a function of time, following the shear storage modulus G' and the loss modulus G'' (Fig. 1). The storage modulus G' characterizes the elastic and the loss modulus G'' the viscous part of the viscoelastic behavior. The values of G' represent the stored energy, while G'' ...

structural integrity, and achieving desired material properties. Gel point refers to the stage during the curing process where the material transitions from liquid to a solid, indicated by the crossover of the storage and loss modulus. Alternatively, the cure point refers to the point where the material has fully solidified and reached its maximum

The more accurate gel point was determined in a dynamic viscoelastic measurement as the crossover point of the storage modulus G' and loss modulus G'' . The value of G' for the fully developed star polymer gel reached 10 kPa, which is comparable to the ideal elastic modulus expected for the phantom network model (30) (see the ...

Gel point storage modulus

The most characteristic feature of the rheology at the gel point is the independence of the loss tangent on frequency and/or time . The scaling of the rheological function in the vicinity of the gel point for physical gels was observed and discussed in many publications (e.g., [187,188]).

As the temperature rises above the glass transition point, the material loses its structure and becomes rubbery before finally melting. ... The glass transition temperature can be determined using either the storage modulus, complex modulus, or $\tan \delta$ (vs temperature) depending on context and instrument; because these methods result in such a ...

We used the cross point of the storage modulus and the loss modulus of the sample as the gel point. The scattering profiles of a homogeneous gel are very simple and entirely different from those ...

Download scientific diagram | Typical rheological data (storage modulus, G' () and loss modulus, G'' ()) of sol-gel phase change with accompanying images taken during tube inversion test.

The crossover point of the storage and loss modulus curves (Figure 3) is a good estimate of the gel point of a curing thermoset. But it is only an estimate, because, as the gel network structure forms, the modulus changes. So unless measurements on the gelling system are made fast enough, the exact gel point will be obscured by changes

Web: <https://arcingenieroslaspalmas.es>