

3 ???· 1) The Baseline scenario (BS) is based on the calibrated operational scenario of a 2022 old office building with 100% occupancy, where each floor is typically considered as a ...

Energy-efficient buildings are designed to reduce the amount of energy required for their construction, operation, and eventual decommissioning. These buildings employ a combination of sustainable construction materials, advanced design techniques, and state-of-the-art energy management systems to minimize energy consumption.

The intelligent energy-saving system of office buildings based on ZigBee technology designed in this paper is a typical application of Internet of Things technology, with flexible control and ...

1 INTRODUCTION. Buildings contribute to 32% of the total global final energy consumption and 19% of all global greenhouse gas (GHG) emissions. 1 Most of this energy use and GHG emissions are related to the operation of heating and cooling systems, 2 which play a vital role in buildings as they maintain a satisfactory indoor climate for the occupants. One way ...

Thermal energy storage (TES) refers to energy that can be stored in a material as a heat source or a cold sink and reserved for use at a different time. Similar to how a battery stores energy to use when needed, TES systems reserve energy to regulate building temperatures and help balance energy supply and demand--especially during peak demand ...

The results point out that energy retrofit actions on the building envelope would lead to significant improvements in the thermal performance, regarding both energy savings (-37% of the annual ...

As one of the largest components on the demand side of the power system, building electricity consumption accounts for more than 39% of the total electricity consumption in China and more than 70% in the United States [12, 13]. Thus, it has great potential for flexible regulation of electricity energy.

This review paper critically analyzes the most recent literature (64% published after 2015) on the experimentation and mathematical modeling of latent heat thermal energy storage (LHTES) systems in buildings. Commercial software and in-built codes used for mathematical modeling of LHTES systems are consolidated and reviewed to provide details ...

Warming cannot be limited to well below 2°C without rapid and deep reductions in energy system carbon dioxide (CO 2) and greenhouse gas (GHG) emissions. In scenarios limiting warming to 1.5°C (>50%) with no or limited overshoot (2°C ...



Office building energy storage system transformation

Directive 2010/31/EU promotes the refurbishment of existing buildings to change them into nearly zero-energy buildings (nZEBs). Within this framework, it is of crucial importance to guarantee the best trade-off between ...

Buildings are considered one of the main causes of increasing CO2 emissions due to their excessive consumption of energy. The drive towards sustainability represents a challenge especially in existing buildings. The aim of the research is to support the built environment's move onto a low-carbon path using smart technologies. This research highlights ...

The conversion from building information modeling (BIM) to building energy modeling (BEM) based on the industry foundation classes (IFC) data standard is a crucial step for efficient building energy design and energy performance analysis. The scope encompasses analyzing limitations in existing BIM-to-BEM workflows and proposing an optimized strategy ...

Buildings are considered one of the main causes of increasing CO 2 emissions due to their excessive consumption of energy. The drive towards sustainability represents a challenge especially in ...

The Building Technologies Office (BTO) conducts research, development, and demonstration activities to accelerate the adoption of technologies and techniques that enable high-performing, affordable buildings that meet Americans" need for resiliency and health while also supporting a reliable energy system.

Battery energy storage systems (ESS) have been widely used in mobile base stations (BS) as the main backup power source. Due to the large number of base stations, massive distributed ESSs have largely stayed in idle and very difficult to achieve high asset utilization. In recent years, the fast-paced development of digital energy storage (DES) ...

The transformation of buildings towards NZEBs does not require an "settle a matter at one go", ... In the case of office buildings, the incremental cost reduced from 1620 RMB/m² to between 600 and 800 RMB/m² in 2023, a reduction of 50.6%. ... et al. Analysis and optimization of load matching in photovoltaic systems for zero energy ...

Web: https://arcingenieroslaspalmas.es